

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,794,362 B1
 DATED : September 21, 2004
 INVENTOR(S) : Sandberg et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2,

Line 59, change "SEQ ID 1" to -- SEQ ID 11 --.

Column 3,

Lines 3 and 4, change "SEQ ID 75" to -- SEQ ID 70 --.

Column 4,

Line 39, change "intamedullary" to -- intramedullary --.

Column 5,

Line 64, change "autoclaved 30 psi" to -- autoclaved at 30 psi --.

Column 10,

Line 38, change "uessels/lymphatics" to -- vessels/lymphatics --.

Column 13,

Line 55, change "invention a" to -- invention of a --.



Column 15,

Line 31, delete the word "appears".

Column 16,

Table IV entry for SEQ #42, change "Alanine-Valine-Proline-Glutamine-" to -- Valine-Valine-Proline-Glutamine- --.

Column 17,

Table V entry for SEQ # 64, change "  " to --  --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION


PATENT NO. : 6,794,362 B1
DATED : September 21, 2004
INVENTOR(S) : Sandberg et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 18,

Table VI entry for SEQ # 73, change “

 “

to --

 --.

Signed and Sealed this

Eleventh Day of January, 2005



JON W. DUDAS
Director of the United States Patent and Trademark Office